

Local Phone: 203-575-9220

PRODUCT DATA SHEET

Business Hours: 8 am - 5 pm

Toll Free: 1-800-537-7663

**2001 Inc.**  
P.O. BOX 2557 Waterbury, CT 06723-2557  
325 THOMASTON AVE.  
WATERBURY, CT 06702

Emergency Telephone  
1-800-255-3924

PDS Date 02/24/05

Supersedes All Previous Publications

Page 1 of 1

PRODUCT NAME AND SYNONYMS: **2001 TPO PASTE SEALANT-WHITE**

Typical Properties And Characteristics:

<u>Property</u>	<u>Typical Value</u>
Color	White
Tack Free Time	2 1/2 Hours
Cure Time	48 Hours Depending on Temperature and Humidity
Flow, Sag or Slump	None (1/4" Bead)
Staining	None
Ozone Resistance	Good
UV Resistance	Excellent
Cured Hardness (Shore A)	25-30
Modulus @ 100% Elongation	40 PSI
Tensile @ Break	120 PSI
Elongation @ Break	700%
Joint Movement Capability	+/-25%
Packaging	24 Cartridges, 10.3 Fl. Oz. Each
Weight Per Carton	24 lbs./Carton
Shelf Life	12 Months, Unopened Container (@<90F)

**DISCLAIMER:** The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. It is the responsibility of the user to comply with all applicable federal, state and local laws and regulations.

Prepared By: 2001 Inc.