



January 2, 2015

## 2001 Co. Product Approvals Approved Options

### Weighted Cover Board Options For The Field of The Roof:

1. ½" minimum Dens Deck®, Structodek®
2. ½" Cement Tile Boards, Durock®, Permabase®, Wonderboard®
3. Cementitious Topped Insulation Board, Lightguard®, Heavyguard®
4. ½" Gypsum (requires job-to-job approval)
5. Kelly Green Board

(Optional - any UL approved rigid roof insulation flat stock OR  
Tapered can be loose laid under an approved weighted coverboard)

### Approved Separator Sheet Options

(Requirements vary according to the existing conditions)

1. Geotextile
2. 2001 Co. Fireguard Gravel Mat

### Approved Compression Boards

1. 7/16 OSB
2. ½" CDX Plywood
3. Kelly Greene Board
4. ½" Cement Tile Board

### Approved Fasteners for Concrete Decks

1. #15 Screws (pre-drill)
2. 2001 Co. Peel rivets (pre-drill)
3. Split Bulb Drive-in anchors (pre-drill)

### Approved Fasteners for Tectum/Gypsum

1. 2001 Co. Peel Rivets (pre-drill)

### Metal Decks

1. #15 Self-tapping deck screws

\*ALWAYS use 2" seam plate washers when fastening the Compression Board as an air seal.

W:\Manuals\2015 - 2001 Co System Specifications\01 General Requirements\01.02 - 2001 Co. Product Approvals.Docx

### **Approved Air Seals**

1. ¾" Air Seal Rope
2. 1/8" x 1" Term Bar Tape
3. 2001 Co. approved spray foam

### **Termination Bars**

1. Term Bars supplied by 2001 Co.

### **Equalizer Valves™**

1. Equalizer Valves™ supplied by 2001 Co.